

Forcible Entry Tools

Forcible Entry Tools

Paratech offers a wide range of forcible entry tools. From the compact and lightweight personal entry tools to the all-purpose Hooligan tools to the PRT Kit, Paratech has every tool you need to break through any barrier.



Hooligan Comparisons

	SIZES	FINISH	APPLICATION
SPF (Single Piece Forged)	1	Nickel Plated	Rescue
Standard	4	Nickel Plated	Rescue
Light Weight	2	Nickel Plated	Rescue

Personal Tool Comparisons

	WEIGHT	LENGTH	APPLICATION
Pry-Axe	6.6 lbs / 3,0 kg	18.4 in / 46,7 cm	Rescue/Police/Military
Biel Tool	3.1 lbs / 1,4 kg	15 in / 38,1 cm	Rescue/Police/Military
TiTAN Crash Axe	2.5 lbs / 1,13 kg	15.7 in / 39,9 cm	Rescue/Police/Military

Forcible Entry Tools

For more than 60 years Paratech has set the standard for high quality heavy-duty forcible entry tools. These tools are designed to pry, pound, puncture, twist and cut open or remove all types of barriers between emergency personnel and the life they are saving. From our popular full line of Hooligan Tools to our powerful Percussive Rescue Tool (PRT), to our compact & versatile Pry-Axe...Paratech has led the way in design and manufacturing of dependable and unstoppable forcible entry tools.



Hooligan Tool

Setting the standard of excellence for Halligan type tools, the heavy duty Paratech Hooligan tools have features such as a stress proof bar, lightweight aluminum handles with machine grooved hand grips and gently curved claws that maximize prying leverage.

Paratech also offers the SPF, a single piece forged Hooligan, a top choice by many.

Personal Entry Tools

Paratech offers 3 different types of personal forcible entry tools, the Pry-Axe, Biel Tool, and the TITAN Crash Axe. The Pry-Axe has an extendable claw to offer the powerful 'Slam & Ram' capability for quick and decisive entry in tight quarters. The claw can be removed and inserted into the keyway in the axe head for twisting leverage.



PRT Percussive Rescue Tool


The PRT is a powerful hand held rescue tool that can be put to work with a minimal amount of training. The 'Slam & Ram' action of the PRT directs all of its force directly at the point of impact, without deflection, making it safer and more effective than a sledge and wedge.

Hooligan Tool

The Hooligan Tool is one of the world's most popular forcible entry tools. These heavy-duty tools were designed to pound, puncture, pry, twist, and cut all types of barriers encountered by emergency service personnel. The head and claw are forged from high alloy steel, heat treated for maximum strength, then fitted to a 1" (2,5 cm) stress proof bar. The bar has machine grooved non-slip grips. The Hooligan Tool features a claw that is gently curved for maximum prying leverage. The claw opening is parallel and fits over locks, hasps and many door bars. It can also be used as a nail puller and a gas shut off during emergencies. The "Highway Hooligan Tool" features a metal cutting claw with a machine sharpened metal cutter that uses the can opener principle to cut heavy gauge metal and composites.

Recommended Users

- Fire Departments
- Law Enforcement Agencies
- Rescue Squads
- Hazmat Teams
- Plant/Refinery Maintenance Crews
- Military and Public Utilities



Standard Claw:

Parallel opening for gas valve shutoffs, locks and hasps. Machine sharpened claws. Recessed nail puller. Claw radius for prying leverage.

Metal Cutting Claw:

Combines the capability of prying and metal cutting. Machine sharpened metal cutter uses can opener principle to cut heavy gauge metal and composites.




Hooligan Tool with Standard Claw Electroless Nickel Finish



Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-000599	24 in / 61,0 cm Hooligan Tool	24.0	61,0		9.2	4,2	
22-000600	30 in / 76,2 cm Hooligan Tool (pictured)	30.0	76,2		10.6	4,8	
22-000601	36 in / 91,4 cm Hooligan Tool	36.0	91,4		11.9	5,4	
22-000602	42 in / 106,7 cm Hooligan Tool	42.0	106,7		13.2	6,0	

Tactical Hooligan Tool with Standard Claw



Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-000599T	Tactical Hooligan Tool	24.0	61,0		9.2	4,2	
22-000600T	Tactical Hooligan Tool (pictured)	30.0	76,2		10.6	4,8	
22-000601T	Tactical Hooligan Tool	36.0	91,4		11.9	5,4	
22-000602T	Tactical Hooligan Tool	42.0	106,7		13.3	6,0	

Hooligan Tool Lightweight Aluminum Handle and Standard Claw with Electroless Nickel Finish



Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-000424	24 in / 61,0 cm Hooligan Tool - Lightweight (pictured)	24.0	61,0		6.8	3,1	
22-000430	30 in / 76,2 cm Hooligan Tool - Lightweight	30.0	76,2		7.3	3,3	

Forcible Entry Tools

Highway Hooligan With Metal Cutting Claw With Electroless Nickel Finish



Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-000622	30 in / 76,2 cm Highway Hooligan Tool		30.0	76,2		10.6	4,8
22-000623	36 in / 91,4 cm Highway Hooligan Tool (pictured)		36.0	91,4		11.9	5,4
22-000624	42 in / 106,7 cm Highway Hooligan Tool		42.0	106,7		13.3	6,0

SPF Hooligan Single Piece Forged

Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-000680	SPF Hooligan 30 in / 76,2 cm		30.0	76,2		9.7	4,4

The SPF Hooligan is a single piece forged (SPF) tool intended to exceed FDNY specifications for their primary hand held forcible entry tools. It is the very first redesigned, (features included) single piece Halligan type tool.

Features


- Single Piece, closed die
- Forging for absolute consistent lengths
- Recessed nail puller type claw, a thin curved profile
- Cable groove at the rear of the tool head
- Electroless nickel plating

Parallel opening for gas valve shut-offs, locks and hasps

Thinnest claw on the market designed for better wedging

Long, sharp, tapered and gently curved pike to break a lock or latch

Curved bill is long with a smooth incline to force windows and doors



Tactical SPF Hooligan Single Piece Forged




Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-000680T	Tactical SPF Hooligan		30.0	76,2		9.7	4,4

Titan Crash Axe

Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-000120	Crash Axe	15.69		39,87		2.5	1,13

Paratech's **TITAN CRASH AXE** takes lightweight, multi-function rescue hand tools to the next level. Designed with input from the Air Force's Pararescuemen(PJs), Paratech's **TITAN CRASH AXE** is high-tech and low-drag.



Features

- Super Lightweight Titanium Handle
- Replaceable & Interchangeable Stainless Steel Blade and Pike
- Total weight of under 3 lbs.
- Large, Full-Surface Crash-Axe Style Blade
- Integrated Metal Cutting Claw with Wire Cutting feature
- "Future ready" for new blades, pikes, picks and more

**STAINLESS
STEEL PIKE**



**ANGLED METAL
CUTTING CLAW**



TiTan Crash Axe Blade
Length: 3.1 in 7,87 cm
Net Weight: 1.5 lb 0,68 kg
Part No. 22-000123



TiTan Crash Axe Pike
Length: 3.23 in 8,2 cm
Net Weight: 0.49 lb 0,22 kg
Part No. 22-000127



**STAINLESS
STEEL TOPCUT
BLADE**



**INTEGRATED
WIRE CUTTER**


Forcible Entry Tools

Pry-Axe

Here is a tool that has withstood the test of time. For over 40 years the Pry-Axe has remained the best selling tool in our line. The Pry-Axe is being used by fire departments, police departments and rescue squads worldwide.

The Pry-Axe is a lightweight, multi-purpose, 'Slam & Ram' tool designed to pry, enlarge openings, cut sheet metal and twist off locks and latches. This efficient tool lets every firefighter force entry, rescue and ventilate without waiting for help. The Pry-Axe is small enough to carry and rugged enough for most jobs.

The Pry-Axe head and claw assemblies are separate sections forged from high alloy steel and heat treated for maximum strength. A molded rubber sleeve over the handle provides a non-slip grip. The Pry-Axe is electroless nickel plated for good looks and easy maintenance.



Pry-Axe with Metal Cutting Claw
Length: 18.4 in 46,7 cm
Net Weight: 6.6 lb 3,0 kg
Part No. 22-000522

Pry-Axe with Standard Claw
Length: 18.4 in 46,7 cm
Net Weight: 6.6 lb 3,0 kg
Part No. 22-000520

Pry-Axe with Standard & Metal Cutting Claw
Length: 18.4 in 46,7 cm
Net Weight: 9.6 lb 4,4 kg
Part No. 22-000518

Pry-Axe with Standard Claw & Sheath
Length: 18.4 in 46,7 cm
Net Weight: 6.8 lb 3,1 kg
Part No. 22-000515

Pry-Axe with Standard Claw & Vehicle Bracket
Length: 18.4 in 46,7 cm
Net Weight: 7.1 lb 3,2 kg
Part No. 22-000516

Replacement Pry-Axe Head
Length: 13.3 in 33,8 cm
Net Weight: 4.1 lb 1,9 kg
Part No. 22-000525

Standard Claw
Length: 15.1 in 38,4 cm
Net Weight: 2.5 lb 1,4 kg
Part No. 22-000322s

Pry-Axe Sheath
Length: 8.7 x 18.8 in 26,7 x 47,8 cm
Net Weight: 0.5 lb 0,5 kg
Part No. 22-000505

Vehicle Bracket
Length: 4.3 in 10,8 cm
Net Weight: 0.6 lb 0,3 kg
Part No. 22-000605

Compact Claw
Length: 13.25 in 33,66 cm
Net Weight: 2.13 lb ,97 kg
Part No. 22-000321

Metal Cutting Claw
Length: 15.1 in 38,4 cm
Net Weight: 2.45 lb 1,1 kg
Part No. 22-000324

Pry-Axe Holster
Length: 19.0 in 48,3 cm
Net Weight: 0.7 lb 0,3 kg
Part No. 22-000506

Biel Tool

Part No.	Length: in	cm	Net Weight:	lb	kg
----------	------------	----	-------------	----	----

22-000550	15.1	38,3	3.3	1,5
-----------	------	------	-----	-----

The Biel Tool is one piece made out of heat treated, electro-polished, stainless steel with an extremely durable ergonomically rubber molded handle. The Biel Tool incorporates many of the features found in the world famous Paratech 'Pry-Axe', but is much smaller and light enough to wear on a belt or carry in the pocket of a bunker coat. This is the perfect personal size multi-purpose forcible entry and rescue tool, designed for forcing doors and windows, prying and twisting hasps and locks, light overhauling, nail removal, gas shutoff, metal cutting and chopping.




Biel Tool and Sheath
Length: 15.1 in 38,3 cm
Net Weight: 3.4 lb 1,5 kg
Part No. 22-000551



Biel Sheath
Length: 7.3 in 18,5 cm
Net Weight: 0.1 lb 0,05 kg
Part No. 22-000555



Biel Holster
Length: 16.0 in 40,6 cm
Net Weight: 0.5 lb 0,24 kg
Part No. 22-000545



PRT Rescue Kit

Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-000625	PRT Rescue Kit	31.5	80,0		29,0	13,2	

The PRT Rescue Kit includes a variety of interchangeable tool bits to penetrate most barriers.

'SLAM AND RAM'
Action of the PRT directs all of its force directly at the point of impact



The PRT is a powerful hand held rescue tool that can be put to work with a minimal amount of training. Primarily designed for fast, forcible entry, one person can quickly pry open locks and doors in seconds and easily break through brick and concrete block walls within a few minutes.

The 'Slam & Ram' action of the PRT directs all of its force directly at the point of impact - without deflection, making it safer and more effective than a sledge and wedge.

This heavy duty rescue tool is easily stored and transported, so it can always be... the first tool to the rescue.

PRT ACCESSORIES



Coupling required

PRT PIERCING APPLICATOR 6
6 in / 15,2 cm WALL PENETRATION
Overall length: 18,7 in / 47,5 cm
Net Weight: 5.12lb 2,32kg
Part No. 22-098106



Coupling required

PRT PIERCING APPLICATOR 14
14 in / 35,6 cm WALL PENETRATION
Overall length: 27,1 in / 69 cm
Net Weight: 6.24lb 2,83kg
Part No. 22-098114



1 1/2 in NH (NST) COUPLING
Part No. 22-550320
1 1/2 in NPSH (IPT) COUPLING
Part No. 22-550330
Length: 3.1 in 7,9 cm
Net Weight: 1.5 lb 0,7 kg



PRT Picket Driver Bit
Length: 8.8 in 22,4 cm
Net Weight: 1.5 lb 0,7 kg
Part No. 22-000634